


# HULALA

## HOME



**ITEM NO. SBRB1534**



Per Seat Weight Limitation

**150 LBS**

Thank You For Choosing Our Furniture

▀ If you have any questions or concerns,  
don't hesitate to reach out to us. ▴

Call us: +1(833)324-2464  
Email: [hello@hulalahome.com](mailto:hello@hulalahome.com)

**NOTE:**






This brochure contains  
**IMPORTANT** safety info.  
Please read and keep it  
for future reference.

# MAINTAINANCE AND WARNINGS



## Before You Start

***Please follow the steps below:***




-  Check the packaging for any damage, deformation, or water stains. If there is significant damage, please contact us promptly.
-  Open the packaging and confirm that the panels, hardware, screws, etc are complete.
-  Please read the installation instructions carefully to understand the installation steps and precautions to ensure proper installation.
-  Clean the installation area in advance and ensure the ground is level and there is enough space to avoid damaging the furniture or making installation difficult.
-  Lay a protective mat on the ground to prevent scratching the floor during installation.

### ***After-Sales Service***

- If you encounter any issues or need technical support during use, please contact our after-sales team. We offer long-term maintenance and warranty services.





## Precautions

-  This product for indoor use only. Do not expose it to outdoor elements or high-humidity environments.
-  Keep the product away from high heat or open flames to prevent fire hazards.
-  Do not allow children to climb on the product to prevent personal injury caused by tipping




## Safety Warnings

-  If you notice any loose or damaged parts, stop using the product immediately and contact customer service.
-  Do not attempt to disassemble or replace any components yourself, as this may affect the stability and safety of the product.









### ***Daily Maintenance***

- Regularly clean the surface of the sofa with a soft cloth to prevent dust accumulation.  
  
Do not use cleaning agents containing acids, alkalis, or corrosive substances, as they may damage the surface. It is recommended to use neutral cleaning agents or specialized furniture cleaners
- Avoid exposing furniture to humid environments for extended periods to prevent swelling or deformation of the boards. Use a dehumidifier or desiccant during humid weather.
- Avoid direct contact of furniture with water. If water is accidentally spilled, wipe it dry immediately.
- Avoid placing excessively heavy objects on the furniture: ensure the weight is within a reasonable load-bearing range.
- Avoid using sharp or rough items on the furniture surface to prevent scratches. Handle items gently when moving them

## ***Explosive view***



## Parts list

<p><b>A</b></p>  <p>x1</p>	<p><b>B</b></p>  <p>x1</p>
<p><b>C</b></p>  <p>x1</p>	<p><b>D</b></p>  <p>x1</p>
<p><b>E</b></p>  <p>x1</p>	<p><b>F</b></p>  <p>x2</p>
<p><b>G</b></p>  <p>x4</p>	<p><b>H</b></p>  <p>x2</p>




Installation:  
45minutes.



Two Person


## Parts list

J




x1

K




x1

L




x1

M




x1

N




x2

O















x1

P













x2

## Hardware List

<p>1</p>  <p><b>17+1</b></p>	<p>2</p>  <p><b>x17+1</b></p> <p>D15x12mm</p>	<p>3</p>  <p><b>x16+1</b></p> <p>D8x30mm</p>
<p>4</p>  <p><b>x4</b></p>	<p>5</p>  <p><b>x6</b></p> <p>D7x70mm</p>	<p>6</p>  <p><b>x28+3</b></p> <p>D3.5x14mm</p>
<p>7</p>  <p><b>x4</b></p> <p>D4x30mm</p>	<p>8</p>  <p><b>x16+1</b></p>	<p>9</p>  <p><b>x17+1</b></p>
<p>10</p>  <p><b>x7</b></p> <p>D7x40mm</p>	<p>11</p>  <p><b>x8</b></p>	<p>12</p>  <p><b>x4</b></p> <p>Large Bend</p>

## Hardware List

<p>13</p>  <p><b>x4</b></p> <p>Medium Bend</p>	<p>14</p>  <p><b>x4</b></p>	<p>15</p>  <p><b>x4</b></p> <p>D4x30mm</p>
<p>16</p>  <p><b>x4</b></p>	<p>17</p>  <p><b>x2</b></p>	<p>18</p>  <p><b>x8+1</b></p> <p>D3x14mm</p>
<p>19</p>  <p><b>x1</b></p>	<p>20</p>  <p><b>x1</b></p>	<p>21</p>  <p><b>x48+4</b></p> <p>D4x16mm</p>
<p>22</p>  <p><b>x6</b></p> <p>D6x35mm</p>		









## Step 1

Prepare for part A

1.Tighten the bolt #1 into the corresponding hole of A with screwdriver #19


2.Align the holes in part A,insert wooden dowel #3 by hand






19	x1	3	x6	1	x13
					
		D8x30mm		M6x35mm	

## Step 2


Use screws #18 to attach part # 4 with screwdriver # 19 as picture shown






18	x8	4	x4	19	x1
					
D3x14mm					

### Step 3


1. Connect part H with part A, insert cam bolt #2 into the corresponding holes of part H. then tighten the cam bolt #2 with screwdriver #19
2. Cover the cam lock #2 with sticker #9






2	x4	9	x4	19	x1
					
D15x12mm					

## Step 4


1. Connect part C&D&E with part A, insert cam bolt #2 into the corresponding holes of part C&D&E. then tighten the cam bolt #2 with screwdriver #19
2. Cover the cam lock #2 with sticker #9



2	x9	9	x9	19	x1
					
D15x12mm					


## Step 5




1. Slide in part G into the groove as picture shown, make sure they are also in groove
2. Please make sure that the panels which stick "BACK" are towards wall



## Step 6


1. Align the holes in part B, insert wooden dowel #3 by hand
2. Use the bolt #22 to attach part P to part B with the Allen key #20







20	x1	22	x6	3	x4
					
		D6x35mm		D8x30mm	

## Step 7

1. Use bolt #10 to attach part B to part N with Allen key #20
2. Tighten the bolt #1 into the corresponding hole of B with screwdriver #19








1	x4	19	x1	20	x1	10	x4
							
D6x35mm						D7x40mm	

## Step 8

Connect the prepared parts together

- 1.Align the holes in part C&E&D, insert wooden dowel #3 by hand
- 2.Screw the bolt #5 tight with Allen key #20
- 3.Screw the bolt #10 tight with Allen key #20




3	x6	5	x6	20	x1	10	x3
							
D8x30mm		D7x70mm				D7x40mm	




## Step 9




- 1.Insert cam bolt #2 into the corresponding holes of part H.then tighten the cam bolt #2 with screwdriver #19
- 2.Cover the cam lock #2 with sticker #9
- 3.Screw foot O into part B by hand as picture shown



## Step 10





1. Insert hardware #8 into part G as shown,
2. Screw in screw #6 using screwdriver #19 and tighten fully.



6	x16	8	x16	19	x1
					
D3.5x14mm					


## Step 11

Insert shelf pin #11 into the holes attach adjustable shelf F to pin #11



## Step 12


1. Use screw #21 to attach the hinges #12 to door panel (J&M), tighten screws #21 with screwdriver #19
2. Use screw #6 to attach the hardware #4 to door panel (J&M), tighten screws #6 with screwdriver #19
3. Use screw #7 to attach the handle #7 to door panel (J&M), tighten screws #7 with screwdriver #19.





7	x2	21	x8	12	x4	4	x2	6	x4
D4x30mm		D4x16mm		Large Bend				D3.5x14mm	

### Step 13


1. Use screw #21 to attach door panel J to part C, tighten screws #21 with screwdriver #19.
2. Use screw #21 to attach door panel M to part D, tighten screws #21 with screwdriver #19.








21	x16	19	x1
			
D4x16mm			

## Step 14


1. Use screw #21 to attach the hinges #13 to door panel (K&L), tighten screws #21 with screwdriver #19
2. Use screw #6 to attach the hardware #4 to door panel (K&L), tighten screws #6 with screwdriver #19
3. Use screw #7 to attach the handle #7 to door panel (K&L), tighten screws #7 with screwdriver #19.





7	x2	21	x8	13	x4	4	x2	6	x4
									
D4x30mm		D4x16mm		Medium Bend				D3.5x14mm	

## Step 15


1. Use screw #21 to attach door panel K to part E left side, tighten screws #21 with screwdriver #19.
2. Use screw #21 to attach door panel L to part E right side, tighten screws #21 with screwdriver




21	x16	19	x1
			
D4x16mm			

# Door Hinge Adjustment Instructions


Concealed hinges are three-way adjustable:




Horizontal  
by screw adjustment!




Concealed hinges are three-way adjustable:




In-and-out  
by loosening the hinge arm  
mounting screw or via cam  
adjustment!



Concealed hinges are three-way adjustable:



Vertical via slots in  
the mounting plate  
or via cam adjustment!




Video for door adjustment




## Hinge adjustment method







## Step 16

Use screws #6 to attach part #16 with screwdriver #19 as picture shown




6	x4	16	x2	19	x1
 D3.5x14mm					



## Step 17

#16	x2	#15	x4	#14	x4	#19	x1
							
		D4x30mm					

1. Install the anti-collapse device.
2. Mark the position on the wall, that corresponds to the location of part (#16) on the Side panel (C&D); Drill and insert the expandable screw (#14) by hammer.
3. Assemble the part (#16) to the wall. Align the hole in the part (#16) with the expandable screw (#14), use screw (#15) to attach it and tighten by screwdriver (#19)







NOT PROVIDED



## Step 18

Let the plastic belt #17 pass through the both part #16 and pull tightly



# WARRANTY

- We strive to offer quality products, and we also try our best to satisfy every customer who orders from us with products or services as needed.
- We provide 30 days warranty starting from the time you receive the item. Each customer must provide a record of their orders such as the order number, or item receipt for any items that are out of the warranty period you may also still receive.
- Replacement parts by purchasing them from our company if they are available.
- For return, please check the return policy with the retailer or market place you bought from

## ***Are you having difficulty***

With assembly? Missing parts?  
Please send an email with your order No. to  
[hello@hulalahome.com](mailto:hello@hulalahome.com)

Appreciate your purchasing from us.  
Pop up your life by our furniture piece!