#### WARRANTY

We strive to offer high-quality products, and we also try our best to satisfy each and every customer that orders from us with product or service as needed. We provide 30 days warranty starting from the time you receive the item. Each customer must provide a record of their order such as the order number, or item receipt for any items that are out of the warranty period you may also still receive replacement parts by purchasing them with our company if they are available.


Are you having difficulty
with assembly? Missing parts?
Please send email with your order No

customerservice@hulalahome.com

For return, Please check the return policy with the retailer or MarketPlace you bought from.

Appreciated your purchasing from us. Pop up your life by our furniture piece!





ITEM NO.CHHQ0414

#### NOTE:


This brochure contains IMPORTANT safty info. Please read and keep for future reference.

### MAINTAINANCE AND WARNING

- Keep furniture away from heat.
- Do not clean furniture with harsh cleansers or polish. Do not use detergents, Solvents, abrasives, spray packs or leather cleaner. Use non-color mild soap with warm water clean spills(Mix 1:10 soap to water)
- Do not place furniture under direct sunlight, material will possibly fade over time.
- Do not use on site dry Cleaning machine.
- Children should not climb or jump on the furniture.
- Do not write on furniture without a padded barrier to protect the surface.
- Not for commercial use, For residential use only.



## PARTS LIST



-1

# HARDWARE















M6\*70






#### SPARE









M6\*70

Be sure to check all packing material carefully for small parts.which may have come loose inside the carton during shipment.


## **ASSEMBLY** INSTRUCTIONS




Step 1: Mark sure armrest A and sect frame D on both side, use screw and shim to connect A and D. Make sure all holes algin, fasten all bolts to secure.




Step 2: Mark sure armrest B and sect frame D on both side, use screw and shim to connect B and D. Make sure all holes algin, fasten all bolts to secure.



Step 3: Make sure seat frame D and back C on both. Use screw and shim to connect C and D. Make sure all holes algin, fasten all bolts to secure.




**Step 4:**Use key and screw to connect metal leg H and seat frame D.




**STEP** 5:Place seat cushion F on top of seat frame D. Make sure gap around seat cushion sits evenly.



Iron the fabric cover to stretch the wrinkles with steam iron while neccessary. Please wait 48 hours for the compressed foam or polyester pillow filler to spring back after unbox all components. Hair dryer blow or hand slap on cushions will speed up the process.



Assembly completed



**STEP 6:**Place the back cushion in front of back C and on top of seat cushion F.

-9-