
WARRANTY

We strive to offer high-quality products, and we also try our best to satisfy each and every customer that orders from us with product or service as needed. We provide 30 days warranty starting from the time you receive the item. Each customer must provide a record of their order such as the order number, or item receipt for any items that are out of the warranty period you may also still receive replacement parts by purchasing them with our company if they are available.

Are you having difficulty with assembly? Missing parts? Please send email with your order No to customerservice@hulalahome.com For return, please check the return policy with the retailer or market place you bought from.

Appreciate your purchasing from us. Pop up your life by our furniture piece!

HULALA H O M E



ITEM NO.CHM0120

NOTE:

This brochure contains IMPORTANT safty info. Please read and keep for future reference.

MAINTAINANCE AND WARNING

- Keep furniture away from heat.
- Do not clean furniture with harsh cleansers or polish. Do not use detergents, Solvents, abrasives, spray packs or leather cleaner. Use non-color mild soap with warm water clean spills(Mix 1:10 soap to water)
- Do not place furniture under direct sunlight, material will possibly fade over time.
- Do not use on site dry Cleaning machine.
- Children should not climb or jump on the furniture.
- Do not write on furniture without a padded barrier to protect the surface.
- Not for commercial use, For residential use only.

PARTS LIST

Ax1

Bx4

Seat





00



HARDWARE LIST





Ex4


M6*20mm Screw








ASSEMBLY INSTRUCTIONS




STEP 1:Open the zipper pocket under the seat and take the legs B out.



STEP 2: Place the Chair Back A on a clean padded surface.

SPARE






Floor glide

Ex1




Be sure to check all packing material carefully for small parts, which may have come loose inside the carton during shipment.



Place the chair seat/back assembly on clean padded surface.

STEP 3: Use bolt C, allen key D to connect themetal leg B to bottom of the seat cushion A, make sure all holes algin, fasten all bolts to secure. Then push the floor mats E in hard in the direction of the Arrow

For velvet: With help of adult partner, Iron the fabric cover to stretch the wrinkles and dent mark with steam iron while necessary. please separate with a towel before ironing.



STEP 4: Assembly completed.

Turn over the chair, check the balance.please use adjusting nail to keep balance if worbbing. Now your chair is ready to use.